


# Diamond Plates

A selection of four Diamond orientated Plates, all available in three sizes with a choice of five seating/collar options; and all designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2 (which can be attached to Face fixed Plates if desired).



## Fixings

Plate supplied with finish matched, no.6 x 19mm wood screws, alignment collar and installation instructions.

## How to Order

Split Finish Sets - order as singles

### Plates only:

- 1) select PLATE (e.g. **5951**)
  - 2) add SIZE (e.g. 5951**B**)
  - 3) add COLLAR DESIGN (e.g. 5951B/**K**)
  - 4) add FINISH (5951B/**K/PB**)
- For SINGLE PLATE add/H (e.g. 5951B/**K/PB/H**).

For FIX DEAD add FDS for pairs of plates (e.g. 5951B/**K/PB/FDS**) or FD for single plates (e.g. 5951B/**K/PB/H/FD**).

### Plates with Levers/Knobs attached:

- 1) select PLATE (e.g. **4751**)
- 2) add SIZE (e.g. 4751**B**)
- 3) add COLLAR DESIGN (e.g. 4751B/**G**)
- 4) add FINISH (e.g. 4751B/**G/PB**)
- 5) add LEVER/KNOB from sections ST1 & ST2 (e.g. 4751B/**G/PB/7740**).

For SINGLE PLATE with LEVER add LH or RH (e.g. 4751B/**G/PB/7740LH**)

For SINGLE PLATE with KNOB add /H (e.g. 4751B/**G/PB/7634B/H**)

For FIX DEAD add FDS for pairs of plates (e.g. 4751B/**G/PB/7634B/FDS**) or FD for single plates (e.g.4751B/**G/PB/7634B/H/FD**).

**Finishes** - See our price list or website for finish availability.



▲ 4751





▲ 4951




▲ 5951



▲ 6051 Size A available with type G flush seating only



**Concealed fix diamond plates - order same as square plates, see page ST4:030**



	A	B	C
S (square)	44	54	64
W (width)	62	76	90

Custom sizes available upon request - surcharge may apply.

### FIX DEAD DUMMY OPTION - FACE FIX ONLY (Supplied assembled)




Achieved by custom machining both the Plate & Lever/ Knob, then fixing together with a lockbolt.

### Seating & Collar options




See page ST6:010 for further details



Face Fix Plates can be supplied with Allart Select Levers or Knobs attached (circlip fixed) See sections ST1 & ST2

# Square Plates - Face fixed

A selection of nine face fixed Square Plates, all available in three sizes; with a choice of five seating/collar options; and all designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2 (which can be supplied attached if desired).



 ▲ <b>3250</b>	 ▲ <b>4750</b>	 ▲ <b>4950</b>
 ▲ <b>5950</b>	 ▲ <b>6050</b> Size A available with type G flush seating only	 ▲ <b>6650</b>
 ▲ <b>6750</b> (square edge design)	 ▲ <b>6850</b> (round edge design) Size A available with type G flush seating only	 ▲ <b>8750</b> Not available in Size A. Size B available with type G flush seating only.

## Fixings

Plates supplied with finish matched, no.6 x 19mm wood screws, alignment collars and installation instructions.

## How to Order

Split Finish Sets - order as singles

### Plates only:

- 1) select PLATE (e.g. **4750**)
- 2) add SIZE (e.g. **4750B**)
- 3) add COLLAR DESIGN (e.g. **4750B/G**)
- 4) add FINISH (**4750B/G/PB**).

For SINGLE PLATE add/H (e.g. **4750B/G/PB/H**).

For FIX DEAD add FDS for pairs of plates (e.g. **4750B/G/PB/FDS**) or FD for single plates (e.g. **4750B/G/PB/H/FD**).

### Plates with Levers/Knobs attached;


- 1) select PLATE (e.g. **4750**)
- 2) add SIZE (e.g. **4750B**)
- 3) add COLLAR DESIGN (e.g. **4750B/G**)
- 4) add FINISH (e.g. **4750B/G/PB**)
- 5) add LEVER/KNOB from sections ST1 & ST2 (e.g. **4750B/G/PB/7740**).

For SINGLE PLATE with LEVER add HANDING LH or RH (e.g. **4750B/G/PB/7740LH**)

For SINGLE PLATE with KNOB add/H (e.g. **4750B/G/PB/7634B/H**).

For FIX DEAD add FDS for pairs of plates (e.g. **4750B/G/PB/7634B/FDS**) or FD for single plates (e.g. **4750B/G/PB/7634B/H/FD**).

**Finishes** - See our price list or website for finish availability.



	A	B	C
L x W	44 x 44	54 x 54	64 x 64
3250 only	62 x 44	72 x 54	82 x 64

Custom sizes available upon request - surcharge may apply.

## Seating & Collar options



See page ST6:010 for further details

**FIX DEAD DUMMY OPTION - (Supplied assembled)**


Achieved by custom machining both the Plate & Lever/ Knob, then fixing together with a lockbolt.

Face Fix Plates can be supplied with Allart Select Levers or Knobs attached (circlip fixed) See sections ST1 & ST2

# Square Plates - Concealed fix

A selection of nine concealed fix Square Plates, all available in three sizes with a choice of five seating/collar options; and all designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.

NB. Please note Levers & Knobs cannot be attached to Concealed fix Plates.



## Fixings

Supplied with subroses, no.4 x 13mm wood screws, alignment collars and installation instructions.

Fix Dead Plates are supplied with 7813 mounts in place of standard subroses (\*).

Pair of Pre-Bore Plates (sizes C only) supplied with 7800 Pre-Bore Adaptor in place of standard Plates (\*).

(\* See pages ST6:070 & 080 for details.

## How to Order

Split Finish Sets - order as singles

- 1) select PLATE (e.g. **4700**)
- 2) add SIZE (e.g. **4700B**)
- 3) add COLLAR DESIGN (e.g. **4700B/G**)
- 4) add FINISH (**4700B/G/PB**).



For SINGLE PLATE add/H (e.g. **4700B/G/PB/H**).

For FIX DEAD pair of plates add FDS (e.g. **4700B/G/PB/FDS**).

For FIX DEAD single plate add FD (e.g. **4700B/G/PB/H/FD**).

For pair of plates with PRE-BORE ADAPTOR (sizes C only) add PRE (e.g. **4700C/G/PB/PRE**).

**Finishes** - See our price list or website for finish availability.



	A	B	C
L x W	44 x 44	54 x 54	64 x 64
3200 only	62 x 44	72 x 54	82 x 64

Custom sizes available upon request - surcharge may apply.

### Collar options



See page ST6:010 for further details



SUBROSES SUPPLIED

ALIGNMENT COLLARS SUPPLIED

PRE-BORE ADAPTOR AVAILABLE (C size only)

FIX DEAD DUMMY OPTION

# Backplate - 32 series

An Art Deco inspired, contemporary Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.




3211 190mm x 44mm latch plate shown with collar K

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T56

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T56, collar K and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 34 series

A traditional period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

<b>Length</b>	190	254	305	380
<b>Width</b>	<b>Availability</b>			
27	Not Available.			
32				
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.			
44	All Configurations and Options <u>except</u> US Entry.			
54	All Configurations & Options.			
64				
76				
<b>Thickness</b>				
6mm for all unsprung backplates. 9mm for all spring-assisted* backplates.				

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.



3411 190mm x 44mm latch plate shown with collar L

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown

38mm wide shown



44mm wide & above

38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T78

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T78, collar L and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

# Backplate - 41 series

A classic Art Deco period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



4111 190mm x 44mm latch plate shown with collar K

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.


**Finishes** - See our price list or website for finish availability.

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown



44mm wide & above

38mm wide shown



38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T54

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T54, collar K and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

# Backplate - 47 series

A classic bevelled edged Backplate, offered with a selection of collar designs and available either face fixed or concealed fix. This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	Unsprung Multipoint with type G seating only.
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.




4711 190mm x 44mm latch plate shown with collar F

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



54mm wide shown

38mm wide shown

44mm wide & above

32mm & 38mm wide

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T58

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T58, collar F and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

# Backplate - 48 series


A modern Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



4817 190mm x 44mm privacy plate shown with collar G

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**




▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown



44mm wide & above

38mm wide shown




38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T48

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T48, G seat and C18 cylinder cover.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
Width	Availability			
27	Not Available.			
32	Not Available.			
38	All Configurations & Options, <u>except</u> US Entry.			
44	All Configurations & Options.			
54				
64				
76				

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.



# Backplate - 49 series

A classic square edged Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.




4911 190mm x 44mm latch plate shown with collar J

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



54mm wide shown

38mm wide shown

44mm wide & above

27, 32 & 38mm wide

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T63

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T63, collar J and CO4 cylinder cover

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Unsprung Multipoint with type G seating only.
32	
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 51 series

A modern Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



5117 190mm x 44mm privacy plate shown with collar G

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**




▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown




44mm wide & above

38mm wide shown




38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T48

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T48, G seat and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Configurations & Options, <u>except</u> US Entry.
44	
54	
64	All Configurations & Options.
76	

### Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.


\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 58 series

A classic stepped edge Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

### Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.



5811 190mm x 44mm latch plate shown with collar K

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown



44mm wide & above

38mm wide shown



38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T86

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T86, collar K and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

# Backplate - 59 series

A classic stepped edge Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not available.
32	Unsprung Multipoint with type G seating only.
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.




5911 190mm x 44mm latch plate shown with collar K

▲ **Latch (Passage), Lock & Privacy Configuration** - see pages ST5:010-080



▲ **Collar, Turn & Privacy Release Options** - see section ST6

54mm wide shown



44mm wide & above

38mm wide shown



32mm & 38mm wide

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T51

▲ **Multipoint Configuration** - see pages ST5:150-200



254mm x 54mm shown with turn T61, collar K and C01 exposed cylinder option.

▲ **US Entry Configuration** - see pages ST5:090-140

# Backplate - 60 series

A traditional period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

<b>Length</b>	190	254	305	380
<b>Width</b>	<b>Availability</b>			
27	Not Available.			
32				
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.			
44	All Configurations and Options <u>except</u> US Entry.			
54	All Configurations & Options.			
64				
76				
<b>Thickness</b>				
6mm for all unsprung backplates. 9mm for all spring-assisted* backplates.				

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.



6011 190mm x 44mm latch plate shown with collar L

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



54mm wide shown

38mm wide shown



44mm wide & above

38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T51

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T51, collar L and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

# Backplate - 66 series


A classic Art Deco period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.




6611 190mm x 54mm latch plate shown with collar K

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



54mm wide shown

38mm wide shown

44mm wide & above

38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T54

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T54, G seat and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.


**Finishes** - See our price list or website for finish availability.

# Backplate - 67 series (square edge design)

A classic Art Deco period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix. This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



6711 190mm x 44mm latch plate shown with collar G



54mm wide shown

38mm wide shown

44mm wide & above

38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T56

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T56, collar K and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

**Standard Sizes**

<b>Length</b>	190	254	305	380
---------------	-----	-----	-----	-----

<b>Width</b>	<b>Availability</b>
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

**Thickness**

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

**Finishes** - See our price list or website for finish availability.

# Backplate - 68 series (round edge design)

A classic Art Deco period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



### Standard Sizes

Length	190	254	305	380
Width	Availability			
27	Not Available.			
32				
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.			
44	All Configurations and Options <u>except</u> US Entry.			
54	All Configurations & Options.			
64				
76				

### Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.




6811 190mm x 44mm latch plate shown with collar G

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T55

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T55, G seat and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**



# Backplate - 83 series

A traditional period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



8311 190mm x 44mm latch plate shown with collar L

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown



44mm wide & above

38mm wide shown



38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T51

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T51, collar L and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	Unsprung Multipoint with type G seating only.
38	All Configurations & Options, <u>except</u> US Entry.
44	All Configurations & Options.
54	
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 84 series

A traditional period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



8411 190mm x 44mm latch plate shown with collar L

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

54mm wide shown



44mm wide & above

38mm wide shown



38mm wide only

## ▲ Face Fixed screw positions



254mm x 38mm shown with turn T53

## ▲ Multipoint Configuration - see pages ST5:150-200



254mm x 54mm shown with turn T53, collar L and C01 exposed cylinder option.

## ▲ US Entry Configuration - see pages ST5:090-140

## ▲ Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080



## ▲ Collar, Turn & Privacy Release Options - see section ST6

# Backplate - 86 series

A modern Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



8611 190mm x 44mm latch plate shown with collar M

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**



44mm wide & above

38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T67

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T67, collar M and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

### Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 87 series

A classic Regency/Georgian period Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



## Standard Sizes

Length	190	254	305	380
<b>Width</b>	<b>Availability</b>			
27	Not Available.			
32	Not Available.			
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.			
44	All Configurations and Options <u>except</u> US Entry.			
54	All Configurations & Options.			
64				
76				

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.



8711 190mm x 44mm latch plate shown with collar K

▲ **Latch (Passage), Lock & Privacy Configuration** - see pages ST5:010-080



▲ **Collar, Turn & Privacy Release Options** - see section ST6

54mm wide shown



54mm wide & above

38mm wide shown



38mm & 44mm wide

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T53

▲ **Multipoint Configuration** - see pages ST5:150-200



254mm x 54mm shown with turn T53, collar L and C01 exposed cylinder option.

▲ **US Entry Configuration** - see pages ST5:090-140

# Backplate - 88 series

A classic Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.



8811 190mm x 44mm latch plate shown with collar L

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown



44mm wide & above

38mm wide shown



38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T78

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T78, collar L and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.

# Backplate - 93 series


A modern Backplate, offered with a selection of collar designs and available either face fixed or concealed fix.

This Backplate is designed to work in conjunction with the Door Levers & Door Knobs to be found in sections ST1 & ST2.




9311 190mm x 54mm latch plate shown with collar G

▲ **Latch (Passage), Lock & Privacy Configuration - see pages ST5:010-080**



▲ **Collar, Turn & Privacy Release Options - see section ST6**

54mm wide shown




44mm wide & above

38mm wide shown




38mm wide only

▲ **Face Fixed screw positions**



254mm x 38mm shown with turn T84

▲ **Multipoint Configuration - see pages ST5:150-200**



254mm x 54mm shown with turn T84, collar F and C01 exposed cylinder option.

▲ **US Entry Configuration - see pages ST5:090-140**

## Standard Sizes

Length	190	254	305	380
--------	-----	-----	-----	-----

Width	Availability
27	Not Available.
32	
38	All Face Fix Configurations with type G seating only, <u>except</u> US Entry & Spring Assisted Multipoint.
44	All Configurations and Options <u>except</u> US Entry.
54	All Configurations & Options.
64	
76	

## Thickness

6mm for all unsprung backplates.  
9mm for all spring-assisted\* backplates.

\*Spring-assisted backplates need to be 9mm thick to accommodate the spring cassette, and require a raised collar; G flush collar/seating option not possible.

**Finishes** - See our price list or website for finish availability.